

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Lake City Water Supply Name

Public Water Supply Name

		List PWS ID #s for all Water Systems Covered by this CCR
The Formust b	ederal Safe Dri ence report (CC e mailed to the	inking Water Act requires each <i>community</i> public water system to develop and distribute a consume CR) to its customers each year. Depending on the population served by the public water system, this CCF customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Fo	llowing Questions Regarding the Consumer Confidence Report
	Customers we	ere informed of availability of CCR by: (Attach copy of publication, water bill or other)
	D D	Advertisement in local paper On water bills Other
	Date custom	ers were informed:/_/
X	CCR was dis	stributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/D	Pistributed: 4 /3/11
	CCR was publ	ished in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of News	spaper:
	Date Published	l://
X	CCR was poste	ed in public places. (Attach list of locations) 315 Shoemale Rd
	Date Posted: 4	0 13311
	CCR was poste	ed on a publicly accessible internet site at the address: www
CERTI	FICATION PROPERTY NAMED IN COLUMN 1	and a cool in it is
I hereby the form consister Departm	certify that a c and manner id at with the war ent of Health, B	onsumer confidence report (CCR) has been distributed to the customers of this public water system in ter quality monitoring data provided to the public water system officials by the Mississippi State Bureau of Public Water Supply.
1-lon Name/I	J. Somm itle (President,	Mayor, Owner, etc.)
	Mail Co	mpleted Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source. Pick up after your pets,
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public sewer system.
 Dispose of chemicals properly; take used motor oil to a recycling center.

 Volunteer in your community. Find a watershed or wellhead protection organization in your community and
- volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. LAKE CITY WATER is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. WE FOUND NO PROBLEMS IN OUR TESTING FOR LEAD.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants must be movided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG or	MCL, TT, or	Your	Ra	nge	Sample		
Contaminants	MRDLG	MRDL	Water	Low	High	Date	Violation	Typical Source
Disinfectants & Dis	infectant B	y-Produ	ets					
(There is convincing	evidence th	at additio	n of a di	sinfect	ant is ne	cessary fo	or control of	microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4	1.67	1.45	2.15	2010	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	19.9	NA		2006	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	4	NA		2006	No	By-product of drinking water disinfection

Nitrate [measured as Nitrogen] (ppm)	10	10	0.2	NA	20	10	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	ì	1	0.05	NA	20	10	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	15	NA	20	10	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Antimony (ppb)	6	6	0.5	NA	20	10	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.5	NA	20	110	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0018	NA	20	10	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.5	NA	20	10	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.5	NA	20)10	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	2.2	NA	20	10	No	Discharge from steel and pulp mills; Erosion of natural deposits
Fluoride (ppm)	4	4	0.123	NA	20	010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	0.5	NA	20)10	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Selenium (ppb)	50	50	2.5	NA	20)10	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Volatile Organic Cor	ıtaminant	s		1414()				
1,2,4- Trichtorobenzene (ppb)	70	70	0.5	NA	20	10	No	Discharge from textile- finishing factories
cis-1,2- Dichtoroethylene (ppb)	70	70	0.5	NA	20	10	No	Discharge from industrial chemical factories
Xylenes (ppm)	10	10	0.0005	NA	20	10	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloromethane (ppb)	0	5	0.5	NA	20	110	No	Discharge from pharmaceutica and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.5	NA	20	10	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	0.5	NA	26	110	No	Discharge from industrial chemical factories Leaching from PVC piping;
Vinyl Chloride (ppb)	0	2	0.5	NA	20	010	No	Discharge from plastics factories

,k

ta de la companya de

\$

Maria de la companya de la companya

l, l-Dichloroethylene (ppb)	7	7	0.5	NA	2010	1			charge from industrial mical factories
trans-1,2- Dicholoroethylene (ppb)	100	100	0.5	NA	2010	1			charge from industrial mical factories
1,2-Dichloroethane (ppb)	0	5	0.5	NA	2010	1			charge from industrial miçal factories
Carbon Tetrachloride (ppb)	0	5	0.5	NA	2010	1	No F	lar	charge from chemical ats and other industrial vities
Trichloroethylene (ppb)	0	5	0.5	ΝA	2010	1	No d	leg	charge from metal reasing sites and other ories
1,1,2-Trichloroethane (ppb)	3	5	0.5	NA	 2010	1			charge from industrial mical factories
Tetrachloroethylene (ppb)	0	5	0.5	NA	2010	1	NO k	iry	charge from factories and cleaners
Benzene (ppb)	0	5	0.5	NA	2010	1	No I	_ea	charge from factories; ching from gas storage as and landfills
Toluene (ppm)	ι	1	0.5	NA	2010	1			charge from petroleum ories
Ethylbenzene (ppb)	700	700	0.5	NA	2010	1	No r	efi	charge from petroleum neries
Styrene (ppb)	100	100	0.5	NA	2010	1	No p	olas	charge from rubber and atic factories; Leaching n landfills
Contaminants	MCLG	ΔL	Your <u>Water</u>	Samp <u>Date</u>	# Sample Exceeding		Exceed AL	s	Typical Source
Inorganic Contamina	ints	9.49%	1417						
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	2008	0		No		Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0	2008	0		No		Corrosion of household plumbing systems; Erosion of natural deposits

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

Contaminants	MCLG or MRDLG	MCL or MRDL	Your Water	Violation	Typical Source
Thallium (ppb)	0.5	2	ND	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA; not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

AL	AL: Action Level: The concentration of a contaminant which, if exceeded triggers treatment or other requirements which a water system must follow
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCI or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected ris to health. MRDLGs do not reflect the benefits of the use of disinfectants t control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:
Contact Name: LAKE CTTY WATER
Address:
315 SHOEMAKE ROAD
YAZOO CITY, MS 39194
Phome: 662-746-2189
Fax: 662-746-9312
E-Mail: georgialtramlett@yahoo.com

2011 JUR 28 AH 9: 5!

Copy of LAKE CITY WATER-EAST-820009

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

OUR WATER SOURCE IS A WELL APPROXIMATELY TWO MILES NORTH OF HIGHWAY 149 WEST ON CARTER AND 2.5 MILES EAST OF HIGHWAY 149 ON ERICKSON ROAD. OUR WATER IS DRAWN FROM THE AQUIFER, SPARTA SANDS.

Source water assessment and its availability

WE HAVE A SOURCE WATER ASSESSMENT PLAN AVAILABLE FROM OUR OFFICE THAT PROVIDES MORE INFORMATION SUCH AS POTENTIAL SOURCES OF CONTAMINATION. LAKE CITY WATER IS AT LOWER RISK FOR CONTAMINATION ON THE CARTER WELL AND A LOWER RISK FOR CONTAMINATION ON THE ERICKSON WELL.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

YOU MAY CALL OUR OFFICE AT ANY TIME FOR ANY QUESTIONS YOU MAY HAVE. OUR NUMBER IS 662-746-2189, YOU MAY ALSO ATTEND OUR ANNUAL MEETING WHICH IS HELD IN FEBRUARY. YOU WILL BE NOTIFIED BY MAIL IN YOUR JANUARY BILL FOR THE TIME AND PLACE. THANK YOU FOR PAYING YOUR BILL PROMPTLY. WE WANT TO REMIND YOU TO CALL US IF YOU NOTICE A LEAK ON YOUR WATER SYSTEM. SHOULD YOU EXPERIENCE LOW PRESSRE OR NO WATER, PLEASE BOIL ALL YOUR DRINKING WATER AND CALL US ABOUT THE PROBLEM. WE WILL CATCH SAMPLES AND TRY TO CLEAR UP THE SYSTEM. IT WILL BE 5 TO 6 DAYS TO GET THE RESULTS OF THE WATER SAMPLES. PLEASE CALL US TO GET THIS REPORT.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month. Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a

- month.
 Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
 Water plants only when necessary.
 Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. The check your tollet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
 Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
 Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
 Visit wave.org.apo/v/waters.gog for more information.

- Visit www.epa.gov/watersense for more information,

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing cross-connection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us so that we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary.

Boiler/Radiant heater (water heaters not included)
Underground lawn sprinkler system
Prolo to but this (Whithened tube see included)

- Pool or hot tub (whirlpool tubs not included) Additional source(s) of water on the property
- Decorative pond
- Watering trough

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.

 Pick up after your pets.

- Pick up after your pets.

 If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public sewer system.

 Dispose of chemicals properly; take used motor oil to a recycling center.

 Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain steneiling project with your local government or water supplier. Steneil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. LAKE CITY WATER is responsible for associated with service lines and notice purificing. LARLE GITT WALEA IS responsible to providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking for feat exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. WE FOUND NO PROBLEMS IN OUR TESTING FOR LEAD.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and it most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at fow levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that night not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

<u>Contaminants</u> Disinfectants & Dis	MCLG or MRDLG	MCL, TT, or MRDL	Water		inge <u>High</u>	Sample <u>Date</u>	Violation	Typical Source
(There is convincing	evidence th	at additio	n of a di	sinfect	ent is ne	ceccomi fo	r control of	microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4		1.45	,			Water additive used to control
Haloacetic Acids (HAA5) (ppb)	NA	60	19.9	NA		2006	No	By-product of drinking water chlorination
l'THMs [Total l'rihalomethanes] (ppb)	NA	80	4	NA		2006	No	By-product of drinking water disinfection

Nitrate [measured as Nitrogen] (ppm)	10	10	0.2	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.05	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	15	NA	2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Antimony (ppb)	6	6	0.5	NA	2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronies; solder; test addition.
Arsenic (ppb)	0	10	0.5	NA	2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0018	NA	2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.5	NA	2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.5	NA	2010	No	Corrosion of galvanized pipes Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	2.2	NA	2010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Fluoride (ppm)	4	4	0.123	NA	2010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	0.5	NA	2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Selenium (ppb)	50	50	2.5	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Volatile Organic Cor	taminant.	s	y asy	18.0			
1,2,4- Trichlorobenzene (ppb)	70	70	0.5	NA	2010	No	Discharge from textile- finishing factories
cis-1,2- Dichloroethylene (ppb)	70	70	0.5	NA	2010	No	Discharge from industrial chemical factories
Xylenes (ppm)	10	10	0.0005	NA	2010	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloromethane (ppb)	0	5	0.5	NA	2010	No	Discharge from pharmaceutical and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.5	NA	2010	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	0.5	NA	2010	No	Discharge from industrial chemical factories Leaching from PVC piping;
Vinyl Chloride (ppb)	0	2	0.5	NA	2010	No	Discharge from PVC piping; Discharge from plastics factories

. . . .

1,1-Dichloroethylene (ppb)	7	7	0.5	NA		2010		No	Discharge from industrial chemical factories
trans-1,2- Dicholoroethylene (ppb)	100	100	0.5	NA		2010			Discharge from industrial chemical factories
1,2-Dichloroethane (ppb)	0	5	0.5	NA		2010			Discharge from industrial chemical factories
Carbon Tetrachloride (ppb)	0	5	0.5	NA		2010		No	Discharge from chemical plants and other industrial activities
Trichloroethylene (ppb)	0	5	0.5	NA		2010		No k	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	0.5	NA		2010			Discharge from industrial chemical factories
Tetrachloroethylene (ppb)	0	5	0.5	NA		2010			Discharge from factories and dry cleaners
Benzene (ppb)	0	5	0.5	NA		2010		No I	Discharge from factories; Leaching from gas storage anks and landfills
Toluene (ppm)	ı	I	0.5	NA		2010	1	No f	Discharge from petroleum actories
Ethylbenzene (ppb)	700	700	0.5	NA		2010	ī		Discharge from petroleum efineries
Styrene (ppb)	100	100	0.5	NA		2010	1	No g	Discharge from rubber and plastic factories; Leaching from landfills
Contaminants	MCLG	AL	Your Water	Samp <u>Date</u>	100	# Sample Exceeding		Exceed AL	s <u>Typical Source</u>
Inorganic Contamina	ints	-497				· 图 · 图 · 图 · 图			
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	200	8	0		No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0	200	8	0		No	Corrosion of household plumbing systems; Erosion of natural deposits

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

Contaminants	MCLG or MRDLG	MCL or MRDL	Your <u>Water</u>	<u>Violation</u>	Typical Source
Thallium (ppb)	0.5	2	ND	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

nportant Drinking Water Definitions		
Term	Definition	
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.	
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCL Gs as feasible using the best available treatment technology.	
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.	

AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: LAKE CITY WATER

Address:

315 SHOEMAKE ROAD YAZOO CITY, MS 39194

Phone: 662-746-2189 Fax: 662-746-9312

E-Mail: georgiabramlett@yahoo.com